

\* \* \* \* \*

What is claimed is:

1           1.    A method for facilitating access to previously stored  
2   information on a computer network by a user of a mobile device,  
3   the method comprising:

4                receiving data representing the information from a data  
5   provider through a base system interface;

6                storing a data object representing the data in a  
7   database;

8                associating the data object with the user within the  
9   database;

10               associating the data object with a select one of two or  
11   more data object types;

12               receiving a request from the user for retrieval of the  
13   data through a mobile system interface; and

14               sending the data to the user through the mobile system  
15   interface in accordance with one or more data attributes  
16   defined for the selected data object type;

17               wherein the request is a numerical identifier of the  
18   data object entered by the user through a mobile device  
19   coupled to the mobile system interface.

1           2.    The method of Claim 1 wherein each of the data object  
2 types is associated with a type identifier.

1           3.    The method of Claim 1 further comprising:  
2                parsing the data into one or more portions, each of  
3 which corresponds to the one or more data attributes defined  
4 for the selected data object type; and

5                wherein storing the data object includes storing the  
6 one or more portions organized according to the data  
7 attributes defined for the selected data type.

8           4.    The method of Claim 3 wherein the parsing is according  
9 to an attribute pattern specified for the selected data object  
10 type.

1           5.    The method of Claim 1 wherein sending comprises:  
2                sending the data along with one or more user interface  
3 triggers by which the user can invoke one or more  
4 respectively associated actions to be taken with respect to  
5 the data.

1           6.    The method of Claim 5 wherein a selected one of the

2 actions is to be performed by a mobile device used by the user to  
3 request the data.

1 7. The method of Claim 6 wherein the selected action has a  
2 behavior defined by one or more instructions to be performed by  
3 the mobile device; and

4 further wherein sending the data to the user includes  
5 sending the instructions with the data.

6 8. The method of Claim 5 wherein a selected one of the  
7 actions is accessible to the user only if the selected data  
8 object type of the data object is one of one or more acceptable  
9 ones of the two or more data object types.

1 9. The method of Claim 5 wherein performance of a selected  
2 one of the actions acts upon one or more of the data attributes  
3 of the data object.

1 10. The method of Claim 5 wherein a selected one of the  
2 actions is accessible to the user depending upon user data  
3 representing characteristics of the user.

1 11. The method of Claim 10 wherein the user data includes

2 specification of a mobile data services provider.

10033026-102201